



Badby Shelter - Galvanised Galvanised Steel Frame Open Sided







The Badby shelter is a free-standing, open sided shelter designed for on site assembly, constructed from galvanised mild steel. Complete with galvanised sheet roof, and side panels. Front-to-back curved roof.

Suitable as a cycle shelter. Width of 2m, with lengths from 1m-5m, extension bays can be added to achieve the desired shelter length.

Bolt down as standard.



Part Number	<u>Description</u>	Weight (kg)
138 204 610	Badby Shelter 1m	238kg
138 204 612	Badby Shelter 2m	311kg
138 204 614	Badby Shelter 3m	384kg
138 204 616	Badby Shelter 4m	456kg
138 204 618	Badby Shelter 5m	531kg
138 204 611	Badby Shelter 1m extension bay	
138 204 613	Badby Shelter 2m extension bay	
138 204 615	Badby Shelter 3m extension bay	
138 204 617	Badby Shelter 4m extension bay	
138 204 619	Badby Shelter 5m extension bay	

Product details

- Height 2096mm clearance, 2363mm overall
- Width 2099mm overall
- Length 1m, 2m, 3m, 4m, 5m and extensions

- Square flange plate 140mm x 140mm x 10mm
- · Each flange plate requires 4 bolts
- 1mm galvanised steel panels

Installation & use

This product is guaranteed for 12 months (if installed and used correctly)

Each shelter leg requires bolting down to a suitable concrete surface, using expanding anchor bolts

The area surrounding the installation must be flat and level with no nearby surface irregularities or gradient changes

On-site assembly requires construction skill



www.autopa.co.uk +44 (0)1788 550556





Badby Shelter - Galvanised Galvanised Steel Frame Open Sided











2 x 5 138 204 618



www.autopa.co.uk +44 (0)1788 550556

AUTOPA Limited Cottage Leap, Rugby, Warwickshire CV21 3XP

