





Badby Shelter

Galvanised Steel Frame

Open Sided



The Badby shelter is a free-standing, open sided shelter designed for on site assembly, constructed from galvanised mild steel. Complete with a 4mm UV stabilised PETG clear sheet roof, and side panels. Front-to-back curved roof.

Suitable as a cycle shelter. Width of 2m, with lengths from 1m-5m, extension bays can be added to achieve the desired shelter length.

Bolt down as standard.

Showing 4 Sheffield cycles stands (not included).



Part Number	Description	Weight (kg)
138 204 580	Badby Shelter 1m	216kg
138 204 582	Badby Shelter 2m	281kg
138 204 584	Badby Shelter 3m	346kg
138 204 586	Badby Shelter 4m	412kg
138 204 588	Badby Shelter 5m	479kg
138 204 581	Badby Shelter 1m extension bay	
138 204 583	Badby Shelter 2m extension bay	
138 204 585	Badby Shelter 3m extension bay	
138 204 587	Badby Shelter 4m extension bay	
138 204 589	Badby Shelter 5m extension bay	

Product details

- Height - 2096mm clearance, 2363mm overall
- Width - 2099mm overall
- Length - 1m, 2m, 3m, 4m, 5m and extensions
- Square flange plate - 140mm x 140mm x 10mm
- Each flange plate requires 4 bolts
- 4mm UV stabilised PETG clear sheet panels

Installation & use

This product is guaranteed for 12 months (if installed and used correctly)
 Each shelter leg requires bolting down to a suitable concrete surface, using expanding anchor bolts
 The area surrounding the installation must be flat and level with no nearby surface irregularities or gradient changes
 On-site assembly requires construction skill



www.autopa.co.uk
 +44 (0)1788 550556

AUTOPA Limited
 Cottage Leap, Rugby, Warwickshire CV21 3XP





Badby Shelter Galvanised Steel Frame Open Sided



2 x 1
138 204 580




2 x 2
138 204 582



2 x 3
138 204 584



2 x 4
138 204 586



2 x 5
138 204 588



www.autopa.co.uk
+44 (0)1788 550556

AUTOPA Limited
Cottage Leap, Rugby, Warwickshire CV21 3XP

