




Cambridge Shelter - Galvanised Galvanised Steel Frame Open Sided



The Cambridge shelter is a free-standing, open sided shelter designed for on site assembly, constructed from galvanised mild steel. Complete with galvanised sheet curved roof.

Suitable as a cycle shelter. Width of 3m, with lengths from 2m-5m, extension bays can be added to achieve the desired shelter length.

Bolt down as standard.



<u>Part Number</u>	<u>Description</u>	<u>Weight (kg)</u>
138 200 513	Cambridge Shelter 2m	270kg
138 200 515	Cambridge Shelter 3m	255kg
138 200 517	Cambridge Shelter 4m	302kg
138 200 540	Cambridge Shelter 5m	350kg
138 200 514	Cambridge Shelter 2m extension bay	
138 200 516	Cambridge Shelter 3m extension bay	
138 200 518	Cambridge Shelter 4m extension bay	
138 200 541	Cambridge Shelter 5m extension bay	

Product details

- Height – 2138mm front, 1231mm rear
- Width – 3011mm overall
- Length – 2m, 3m, 4m, 5m and extensions
- Flange plate - 1224mm x 300mm x 8mm
- Each flange plate requires 8 bolts
- 1mm galvanised steel panels

Installation & use

This product is guaranteed for 12 months (if installed and used correctly)
Each shelter leg requires bolting down to a suitable concrete surface, using expanding anchor bolts
The area surrounding the installation must be flat and level with no nearby surface irregularities or gradient changes
On-site assembly requires construction skill



www.autopa.co.uk
+44 (0)1788 550556

AUTOPA Limited
Cottage Leap, Rugby, Warwickshire CV21 3XP





Cambridge Shelter - Galvanised Galvanised Steel Frame Open Sided



3 x 2
138 200 513



3 x 3
138 200 515



3 x 4
138 200 517



3 x 5
138 200 540



www.autopa.co.uk
+44 (0)1788 550556

AUTOPA Limited
Cottage Leap, Rugby, Warwickshire CV21 3XP

