


Canterbury Shelter - Galvanised Galvanised Steel Frame Open Sided





The Canterbury shelter is a free-standing, open sided shelter designed for on site assembly, constructed from galvanised mild steel. Complete with galvanised sheet curved roof.

Suitable as a cycle shelter. Width of 3m, with lengths from 2m-5m, extension bays can be added to achieve the desired shelter length.

Bolt down as standard.



Part Number	<u>Description</u>	Weight (kg)
138 200 603	Canterbury Shelter 2m	216kg
138 200 615	Canterbury Shelter 3m	263kg
138 200 617	Canterbury Shelter 4m	311kg
138 200 609	Canterbury Shelter 5m	358kg
138 200 604	Canterbury Shelter 2m extension bay	
138 200 616	Canterbury Shelter 3m extension bay	
138 200 618	Canterbury Shelter 4m extension bay	
138 200 610	Canterbury Shelter 5m extension bay	

Product details

- Height 2054 clearance, 2378mm overall
- Width 3147mm overall
- Length 2m, 3m, 4m, 5m and extensions

- Flange plate 1224mm x 300mm x 8mm
- · Each flange plate requires 8 bolts
- 1mm galvanised steel panels

Installation & use

This product is guaranteed for 12 months (if installed and used correctly)

Each shelter leg requires bolting down to a suitable concrete surface, using expanding anchor bolts

The area surrounding the installation must be flat and level with no nearby surface irregularities or gradient changes

On-site assembly requires construction skill



www.autopa.co.uk +44 (0)1788 550556

AUTOPA Limited Cottage Leap, Rugby, Warwickshire CV21 3XP





Canterbury Shelter - Galvanised Galvanised Steel Frame Open Sided











3 x 5 138 200 609



