





The Cambourne shelter is a free-standing, single sided cycle shelter designed for on site assembly, constructed from galvanised steel and PET sheet. The frame is made entirely from galvanised mild steel.

The rolled round tube legs offer an elegant yet strong frame that emphasises the modern aesthetic of the shelter, the Cambourne shelter is an ideal basis for sheltered cycle parking needs in public spaces.

Part Number	Description	<u>Weight (kg)</u>
138 204 261	2m Main Bay, Bolt down	208.0kg
138 204 251	3m Main Bay, Bolt down	253.0kg
138 204 254	4m Main Bay, Bolt down	298.0kg
138 204 263	5m Main Bay, Bolt down	344.0kg
138 204 262	2m Extension Bay, Bolt down	142.0kg
138204 252	3m Extension Bay, Bolt down	187.0kg
138 204 255	4m Extension Bay, Bolt down	232.0kg
138 204 262	5m Extension Bay, Bolt down	278.0kg
138 101 010	Pack of 16 M16 Expanding anchor bolts (for fixing 3-5m)	
138 101 012	Pack of 24 M16 Expanding anchor bolts (for fixing 6-8m)	
138 101 014	Pack of 32 M16 Expanding anchor bolts (for fixing 9-10m)	

Product details

- 76mm round and 50mm square galvanised steel tube
- 4mm clear PET sheet

- Colour coated options available extra
- · Extendable to any length using extension bays
- Also available ragged for casting into concrete

Installation & use

Each shelter leg requires bolting down to a suitable concrete surface (no less than 1,600 x 500 x 400mm) by means of eight 16mm anchor bolts. The area surrounding the installation must be fl at and level with no nearby surface irregularities or gradient changes. On-site assembly requires construction skill.

This product is guaranteed for 12 months (if installed and used correctly).



www.autopa.co.uk +44 (0)1788 550556

 bsi.
 ISO
 ISO
 OHSAS

 Goality
 Booling
 IsoO
 OHSAS

 Management
 Scientional
 OHSAS

 FM 31071
 EMS 503166
 OHS 52103

AUTOPA Limited Cottage Leap, Rugby, Warwickshire CV21 3XP