Ingleton Cycle Shelter







The Ingleton shelter is a free-standing, single sided cycle shelter designed for on site assembly, constructed from galvanised steel and PET sheet. The frame is made entirely from galvanised mild steel.

The rolled round tube legs offer an elegant yet strong frame that emphasises the modern aesthetic of the shelter,

The Ingleton shelter is an ideal basis for sheltered cycle parking needs in public spaces.



Part Number	<u>Description</u>	Weight (kg)
138 204 511	2m Main Bay, Bolt down	228.0kg
138 204 501	3m Main Bay, Bolt down	273.0kg
138 204 504	4m Main Bay, Bolt down	319.0kg
138 204 513	5m Main Bay, Bolt down	364.0kg
138 204 512	2m Extension Bay, Bolt down	152.0kg
138 204 502	3m Extension Bay, Bolt down	197.0kg
138 204 505	4m Extension Bay, Bolt down	243.0kg
138 204 514	5m Extension Bay, Bolt down	288.0kg
138 101 010	Pack of 16 M16 Expanding bolts (for fixing 3-5m)	
138 101 012	Pack of 24 M16 Expanding bolts (for fixing 6-8m)	
138 101 014	Pack of 32 M16 Expanding bolts (for fixing 9-10m)	

Product details

- 76mm round and 50mm square galvanised steel tube
- 4mm clear PET sheet
- Also available ragged for casting into concrete

- · Colour coated options available extra
- Extendable to any length using extension bays
- · Cycles accessable from both sides of shelter

Installation & use

Each shelter leg requires bolting down to a suitable concrete surface (no less than 1,600 x 500 x 400mm) by means of eight M16 anchor bolts.

The area surrounding the installation must be fl at and level with no nearby surface irregularities or gradient changes.

On-site assembly requires construction skill.

This product is guaranteed for 12 months (if installed and used correctly).



www.autopa.co.uk +44 (0)1788 550556







