







The AUTOPA GFC 7000 Ornamental Bollard

The GFC7000 from AUTOPA is a traditionally styled ornamental bollard designed to resemble its cast iron relative. The body of the bollard is manufactured from mild steel which is galvanised as standard to ensure its longevity. Caps and rings manufactured from cast iron are welded on to the steel body to complete the design.

The bollards are available in a galvanised and galvanised and coated finish. RAL numbers must be specified at time of order. Eyelets, hooks and chains can be added to these bollards to complete the decorative effect. Please ask for more information

Product Range

Order Code	Description	Weight
138 120 131	Ragged (Galvanised)	14.4kg
138 120 134	Ragged (Galvanised and Black)	14.4kg
138 120 135	Ragged (Galvanised and Colour)	14.4kg
138 120 130	Flanged (Galvanised)	12.0kg
138 120 132	Flanged (Galvanised and Black)	12.0kg
138 120 136	Flanged (Galvanised and Colour)	12.0kg

Accessories and installation parts

138 100 994 M12 Expanding Bolt (3 required per bollard)

Product details

1000mm above ground 300mm below ground (ragged only) 114mm diameter tube 3mm wall thickness

Installation & use

Flanged bollards require bolting down to a suitable concrete surface (no less then 300mm³) by means of three M12 bolts.

Ragged bollards require a hole of at least 500mm deep for casting into concrete.

Ragged bollards are supplied with welded fixing spikes to ensure firm ground anchorage.

AUTOPA recommends that bollards are placed no further than 1,200mm apart to ensure that no vehicle may pass between them.

This product is guaranteed for 12 months (if installed and used correctly).



