


Hooped Perimeter Barrier 48mm Diameter Galvanised, Bolt Down





Perimeter Barriers are designed to help secure site perimeters and provide a permanent obstacle to vehicle access, to mark boundaries, define trolley parks and protect vulnerable door entrances and exits.

Suited to sites where aesthetics and security are equally important, perimeter barriers are commonly found outside car showrooms acting as protection for the cars on the forecourt without impeding a customer's view of the vehicles.

Available in a variety of heights and widths, available as concrete in, bolt down or removable for occasional access.

Available as galvanised as standard. Stainless steel, galvanised and colour coated available extra. Tube diameters 48mm, 60mm, 76mm & 90mm available.



Part Number	Description, Height above ground x overall width
138 174 827	500 x 500 (Bolt down)
138 174 805	500 x 1000 (Bolt down)
138 174 809	500 x 1500 (Bolt down)
138 174 816	500 x 2000 (Bolt down)
138 174 810	750 x 1000 (Bolt down)
138 174 812	750 x 1500 (Bolt down)
138 174 864	750 x 2000 (Bolt down)
138 174 815	1000 x 1000 (Bolt down)
138 174 823	1000 x 1500 (Bolt down)
138 174 820	1000 x 2000 (Bolt down)

Product details

- M12 Expanding Anchor bolts 6 required per barrier (extra)
- 48mm Diameter Galvanised Steel Tube

· Flanged for bolting down onto a suitable concrete surface

Installation & use

Each barrier requires bolting down to a suitable concrete surface (not less than 150mm deep) by means of six M12 bolts

This product is guaranteed for 12 months (*if installed and used correctly*)



