




Hooped Perimeter Barrier 60mm Diameter Stainless Steel, Concrete In



Perimeter Barriers are designed to help secure site perimeters and provide a permanent obstacle to vehicle access, to mark boundaries, define trolley parks and protect vulnerable door entrances and exits.

Suited to sites where aesthetics and security are equally important, perimeter barriers are commonly found outside car showrooms acting as protection for the cars on the forecourt without impeding a customer's view of the vehicles.

Available in a variety of heights and widths, available as concrete in, bolt down or removable for occasional access.

Galvanised, Stainless steel, galvanised and colour coated available. Tube diameters 48mm, 60mm, 76mm & 90mm available.



Part Number	Description, Height above ground x overall width
138 205 241	500 x 750 (Concrete in)
138 205 239	500 x 1000 (Concrete in)
138 205 235	500 x 1500 (Concrete in)
138 205 231	500 x 2000 (Concrete in)
138 205 224	750 x 1000 (Concrete in)
138 205 220	750 x 1500 (Concrete in)
138 205 216	750 x 2000 (Concrete in)
138 205 209	1000 x 1000 (Concrete in)
138 205 205	1000 x 1500 (Concrete in)
138 205 201	1000 x 2000 (Concrete in)

Product details

- Concrete in, 300mm below ground
- 60mm Diameter Stainless Steel Tube Grade 304
- Brushed finish
- Grade 316 available extra

Installation & use

Each leg of the barrier requires a hole of approximately 400mm³ and then concreted in for installation. This product is guaranteed for 12 months (*if installed and used correctly*)



www.autopa.co.uk
+44 (0)1788 550556

AUTOPA Limited
Cottage Leap, Rugby, Warwickshire CV21 3XP



FM 31071 EMS 503166 OHS 552103